Index to Volume 32

Subject Index

Volume 32

A

Access to care

State Child Mental Health Efforts to Support Youth in Transition to Adulthood, Davis M, Sondheimer DL, 32(1): 27–42

Retention in Publicly Funded Methadone Maintenance Treatment in Two Western States, Deck D, Carlson MJ, 32(1): 43–60

Outpatient Mental Health Service Use by Older Adults After Acute Psychiatric Hospitalization, Li H, Proctor E, Morrow-Howell N, 32(1): 74–84

Sociodemographic and Economic Comparisons of Children Prescribed Longer-acting Versus Short-acting Stimulant Medications for Attention Deficit Hyperactivity Disorder, Stevens J, Harman JS, Kelleher KJ, 32(4): 430–437

Alcohol/substance use and abuse

The Assessment of Trauma History in Women with Co-occurring Substance Abuse and Mental Disorders and a History of Interpersonal Violence, McHugo GJ, Caspi Y, Kammerer N, Mazelis R, Jackson EW, Russell L, Clark C, Liebschutz J, Kimerling R, 32(2): 113–127

Physical Health Burdens of Women With Trauma Histories and Co-occurring Substance Abuse and Mental Disorders, Larson MJ, Miller L, Becker M, Richardson E, Kammerer N, Thom J, Gampel J, Savage A, 32(2): 128–140

The Role of Coercion in the Treatment of Women With Co-occurring Disorders and Histories of Abuse, Clark C, Becker M, Giard J, Mazelis R, Savage A, Vogel W, 32(2): 167–181

Religious/Spiritual Coping Among Women Trauma Survivors With Mental Health and Substance Use Disorders, Fallot RD, Heckman JP, 32(2): 215–226

Relational System Change: Implementing a Model of Change in Integrating Services for Women With Substance Abuse and Mental Health Disorders and Histories of Trauma, Markoff LS, Finkelstein N, Kammerer N, Kreiner P, Prost CA, 32(2): 227–240

Does Service Diversification Enhance Organizational Survival?: Evidence From the Private Substance Abuse Treatment System, Knudsen HK, Roman PM, Ducharme LJ, 32(3): 241–252

Medicaid Chemical Dependency Patients in a Commercial Health Plan: Do High Medical Costs Come Down Over Time?, Walter LJ, Ackerson L, Allen S, 32(3): 253–263

Mental Health and Substance Abuse Treatment Utilization Among Individuals Served by Multiple Public Agencies in 3 States, Bray JW, Davis KL, Graver L, Schroeder D, Buck JA, Dilonardo J, Vandivort R, 32(3): 282–293

Factors That Impact Adolescents' Intentions to Utilize Alcohol-related Prevention Services, D'Amico EJ, 32(3): 332–340

Outcomes for Medicaid Clients With Substance Abuse Problems Before and After Managed Care, McFarland BH, Deck DD, McCamant LE, Gabriel RM, Bigelow DA, 32(4): 351–367

Alcohol Consumption, Risk of Injury, and High-Cost Medical Care, Salomé HJ, French MT, Matzger H, Weisner C, 32(4): 368–380

Cost-effectiveness of Public Sector Substance Abuse Treatment: Comparison of a Managed Care Approach to a Traditional Public Sector System, Beattie MC, Hu T-W, Li R, Bond JC, 32(4): 409–429

Antipsychotic medications

Predictors of Antipsychotic Medication Change, Sernyak MJ, Leslie D, Rosenheck R, 32(1): 85–94

Rehospitalization Rates of Patients With Bipolar Disorder Discharged on a Mood Stabilizer Versus a Mood Stabilizer Plus an Atypical or Typical Antipsychotic, Patel NC, Crismon ML, Pondrom M, 32(4): 438–445

Assessment instruments

Measuring Preferences for Schizophrenia Outcomes With the Time Tradeoff Method, Shumway M, Chouljian TJ, Battle CL, 32(1): 14–26

Development and Testing of a Scale Measuring Parent Satisfaction With Staff Interactions, Gerkensmeyer JE, Austin JK, 32(1): 61–73

Index to Volume 32

Subject Index

Volume 32

A

Access to care

State Child Mental Health Efforts to Support Youth in Transition to Adulthood, Davis M, Sondheimer DL, 32(1): 27–42

Retention in Publicly Funded Methadone Maintenance Treatment in Two Western States, Deck D, Carlson MJ, 32(1): 43–60

Outpatient Mental Health Service Use by Older Adults After Acute Psychiatric Hospitalization, Li H, Proctor E, Morrow-Howell N, 32(1): 74–84

Sociodemographic and Economic Comparisons of Children Prescribed Longer-acting Versus Short-acting Stimulant Medications for Attention Deficit Hyperactivity Disorder, Stevens J, Harman JS, Kelleher KJ, 32(4): 430–437

Alcohol/substance use and abuse

The Assessment of Trauma History in Women with Co-occurring Substance Abuse and Mental Disorders and a History of Interpersonal Violence, McHugo GJ, Caspi Y, Kammerer N, Mazelis R, Jackson EW, Russell L, Clark C, Liebschutz J, Kimerling R, 32(2): 113–127

Physical Health Burdens of Women With Trauma Histories and Co-occurring Substance Abuse and Mental Disorders, Larson MJ, Miller L, Becker M, Richardson E, Kammerer N, Thom J, Gampel J, Savage A, 32(2): 128–140

The Role of Coercion in the Treatment of Women With Co-occurring Disorders and Histories of Abuse, Clark C, Becker M, Giard J, Mazelis R, Savage A, Vogel W, 32(2): 167–181

Religious/Spiritual Coping Among Women Trauma Survivors With Mental Health and Substance Use Disorders, Fallot RD, Heckman JP, 32(2): 215–226

Relational System Change: Implementing a Model of Change in Integrating Services for Women With Substance Abuse and Mental Health Disorders and Histories of Trauma, Markoff LS, Finkelstein N, Kammerer N, Kreiner P, Prost CA, 32(2): 227–240

Does Service Diversification Enhance Organizational Survival?: Evidence From the Private Substance Abuse Treatment System, Knudsen HK, Roman PM, Ducharme LJ, 32(3): 241–252

Medicaid Chemical Dependency Patients in a Commercial Health Plan: Do High Medical Costs Come Down Over Time?, Walter LJ, Ackerson L, Allen S, 32(3): 253–263

Mental Health and Substance Abuse Treatment Utilization Among Individuals Served by Multiple Public Agencies in 3 States, Bray JW, Davis KL, Graver L, Schroeder D, Buck JA, Dilonardo J, Vandivort R, 32(3): 282–293

Factors That Impact Adolescents' Intentions to Utilize Alcohol-related Prevention Services, D'Amico EJ, 32(3): 332–340

Outcomes for Medicaid Clients With Substance Abuse Problems Before and After Managed Care, McFarland BH, Deck DD, McCamant LE, Gabriel RM, Bigelow DA, 32(4): 351–367

Alcohol Consumption, Risk of Injury, and High-Cost Medical Care, Salomé HJ, French MT, Matzger H, Weisner C, 32(4): 368–380

Cost-effectiveness of Public Sector Substance Abuse Treatment: Comparison of a Managed Care Approach to a Traditional Public Sector System, Beattie MC, Hu T-W, Li R, Bond JC, 32(4): 409–429

Antipsychotic medications

Predictors of Antipsychotic Medication Change, Sernyak MJ, Leslie D, Rosenheck R, 32(1): 85–94

Rehospitalization Rates of Patients With Bipolar Disorder Discharged on a Mood Stabilizer Versus a Mood Stabilizer Plus an Atypical or Typical Antipsychotic, Patel NC, Crismon ML, Pondrom M, 32(4): 438–445

Assessment instruments

Measuring Preferences for Schizophrenia Outcomes With the Time Tradeoff Method, Shumway M, Chouljian TJ, Battle CL, 32(1): 14–26

Development and Testing of a Scale Measuring Parent Satisfaction With Staff Interactions, Gerkensmeyer JE, Austin JK, 32(1): 61–73

Predictors of Antipsychotic Medication Change, Sernyak MJ, Leslie D, Rosenheck R, 32(1): 85–94
A Feasibility Study to Assess Service Providers' Perspectives Regarding the Use of the Child and Adolescent Functional Assessment Scale in Ontario, Boydell KM, Barwick M, Ferguson HB, Haines R, 32(1): 105–109
The Relationship Between Mothers' Child Abuse Potential and Current Mental Health Symptoms: Implications for Screening and Referral, Rinehart DJ, Becker MA, Buckley PR, Dailey K, Reichardt CS, Graeber C, VanDeMark NR, Brown E, 32(2): 155–166
The Use of Propensity Scores to Evaluate Outcomes for Community Clinics: Identification of an Exceptional Home-based Program, Hodges K, Grunwald H, 32(3): 294–305
Denial and Its Association With Mental Health Care Use: A Study of Island Puerto Ricans, Ortega AN, Alegría M, 32(3): 320–331
Behavior and Symptom Identification Scale 32: Sensitivity to Change Over Time, Jerrell JM, 32(3): 341–346
Attention deficit/hyperactivity disorder
Sociodemographic and Economic Comparisons of Children Prescribed Longer-acting Versus Short-acting Stimulant Medications for Attention Deficit Hyperactivity Disorder, Stevens J, Harman JS, Kelleher KJ, 32(4): 430–437

B

BASIS-32
Behavior and Symptom Identification Scale 32: Sensitivity to Change Over Time, Jerrell JM, 32(3): 341–346
Bipolar disorder
Rehospitalization Rates of Patients With Bipolar Disorder Discharged on a Mood Stabilizer Versus a Mood Stabilizer Plus an Atypical or Typical Antipsychotic, Patel NC, Crismon ML, Pondrom M, 32(4): 438–445
Book reviews
Social Work health and Mental Health: Practice, Research, and Programs, Jackson AC, Segal SP, eds. (reviewed by Provost SE), 32(1): 110
Organization and Structural Dilemmas in Nonprofit Human Service Organizations, Schmid H, ed. (reviewed by Worcester J), 32(3): 347–348
In Recovery: The Making of Mental Health Policy, Jacobson N (reviewed by Butts HM), 32(4): 446–447
Bupropion
Cost-Effectiveness of Bupropion, Nortryptyline, and Psychological Intervention in Smoking Cessation, Hall SM, Lightwood JM, Humfleet GL, Bostrom A, Reus VI, Muñoz R, 32(4): 381–392

C

CAFAS (Child and Adolescent Functional Assessment Scale)
A Feasibility Study to Assess Service Providers' Perspectives Regarding the Use of the Child and Adolescent Functional Assessment Scale in Ontario, Boydell KM, Barwick M, Ferguson HB, Haines R, 32(1): 105–109
CAP (Child Abuse Potential) Inventory
The Relationship Between Mothers' Child Abuse Potential and Current Mental Health Symptoms: Implications for Screening and Referral, Rinehart DJ, Becker MA, Buckley PR, Dailey K, Reichardt CS, Graeber C, VanDeMark NR, Brown E, 32(2): 155–166
Caregivers
Mental Health Problems of Adolescents as Reported by Their Caregivers: A Comparison of European, African, and Latino Americans, Roberts RE, Alegría M, Roberts CR, Chen IG, 32(1): 1–13
Child Abuse Potential (CAP) Inventory
The Relationship Between Mothers' Child Abuse Potential and Current Mental Health Symptoms: Implications for Screening and Referral, Rinehart DJ, Becker MA, Buckley PR, Dailey K, Reichardt CS, Graeber C, VanDeMark NR, Brown E, 32(2): 155–166
Child and Adolescent Functional Assessment Scale (CAFAS)
A Feasibility Study to Assess Service Providers' Perspectives Regarding the Use of the Child and Adolescent Functional Assessment Scale in Ontario, Boydell KM, Barwick M, Ferguson HB, Haines R, 32(1): 105–109
Children, youth, and families
Mental Health Problems of Adolescents as Reported by Their Caregivers: A Comparison of European, African, and Latino Americans, Roberts RE, Alegría M, Roberts CR, Chen IG, 32(1): 1–13

State Child Mental Health Efforts to Support Youth in Transition to Adulthood, Davis M, Sondheimer DL, 32(1): 27–42
Development and Testing of a Scale Measuring Parent Satisfaction With Staff Interactions, Gerkensmeyer JE, Austin JK, 32(1): 61–73
A Feasibility Study to Assess Service Providers' Perspectives Regarding the Use of the Child and Adolescent Functional Assessment Scale in Ontario, Boydell KM, Barwick M, Ferguson HB, Haines R, 32(1): 105–109
Building Resilience in Children of Mothers Who Have Co-occurring Disorders and Histories of Violence: Intervention Model and Implementation Issues, Finkelstein N, Rechberger E, Russell LA, VanDeMark NR, Noether CD, O'Keefe M, Gould K, Mockus S, Rael M, 32(2): 141–145
The Relationship Between Mothers' Child Abuse Potential and Current Mental Health Symptoms: Implications for Screening and Referral, Rinehart DJ, Becker MA, Buckley PR, Dailey K, Reichardt CS, Graeber C, VanDeMark NR, Brown E, 32(2): 155–166
Youths Living Away From Families in the US Mental Health System: Opportunities for Targeted Intervention, Pottick KJ, Warner LA, Yoder KA, 32(3): 264–281
Factors That Impact Adolescents' Intentions to Utilize Alcohol-related Prevention Services, D'Amico EJ, 32(3): 332–340
The Invisible Children's Project: Key Ingredients of an Intervention for Parents With Mental Illness, Hinden BR, Biebel K, Nicholson J, Mehnert E, 32(4): 393–408
Sociodemographic and Economic Comparisons of Children Prescribed Longer-acting Versus Short-acting Stimulant Medications for Attention Deficit Hyperactivity Disorder, Stevens J, Harman JS, Kelleher KJ, 32(4): 430–437

Cigarette smoking
Cost-Effectiveness of Bupropion, Nortryptyline, and Psychological Intervention in Smoking Cessation, Hall SM, Lightwood JM, Humfleet GL, Bostrom A, Reus VI, Muñoz R, 32(4): 381–392

Client need
A Comparison of Client and Mental Health Worker Assessment of Needs and Unmet Needs, Gibbons C, Bédard M, Mack G, 32(1): 95–104
Denial and Its Association With Mental Health Care Use: A Study of Island Puerto Ricans, Ortega AN, Alegría M, 32(3): 320–331

Coercion
The Role of Coercion in the Treatment of Women With Co-occurring Disorders and Histories of Abuse, Clark C, Becker M, Giard J, Mazelis R, Savage A, Vogel W, 32(2): 167–181

Community mental health services
The Use of Propensity Scores to Evaluate Outcomes for Community Clinics: Identification of an Exceptional Home-based Program, Hodges K, Grunwald H, 32(3): 294–305

Continuity of care
State Child Mental Health Efforts to Support Youth in Transition to Adulthood, Davis M, Sondheimer DL, 32(1): 27–42

Coping
Religious/Spiritual Coping Among Women Trauma Survivors With Mental Health and Substance Use Disorders, Fallot RD, Heckman JP, 32(2): 215–226

Costs of care
Medicaid Chemical Dependency Patients in a Commercial Health Plan: Do High Medical Costs Come Down Over Time?, Walter LJ, Ackerson L, Allen S, 32(3): 253–263
Alcohol Consumption, Risk of Injury, and High-Cost Medical Care, Salomé HJ, French MT, Matzger H, Weisner C, 32(4): 368–380
Cost-Effectiveness of Bupropion, Nortryptyline, and Psychological Intervention in Smoking Cessation, Hall SM, Lightwood JM, Humfleet GL, Bostrom A, Reus VI, Muñoz R, 32(4): 381–392
Cost-effectiveness of Public Sector Substance Abuse Treatment: Comparison of a Managed Care Approach to a Traditional Public Sector System, Beattie MC, Hu T-W, Li R, Bond JC, 32(4): 409–429
Sociodemographic and Economic Comparisons of Children Prescribed Longer-acting Versus Short-acting Stimulant Medications for Attention Deficit Hyperactivity Disorder, Stevens J, Harman JS, Kelleher KJ, 32(4): 430–437

D

Denial
Denial and Its Association With Mental Health Care Use: A Study of Island Puerto Ricans, Ortega AN, Alegría M, 32(3): 320–331

Depression
Outpatient Mental Health Service Use by Older Adults After Acute Psychiatric Hospitalization,

Li H, Proctor E, Morrow-Howell N, 32(1): 74–84
Dual diagnosis patients
Introduction to the Impact of Co-occurring Disorders and Violence on Women: Findings From the SAMHSA Women, Co-occurring Disorders and Violence Study, Becker MA, Gatz M, 32(2): 111–112
The Assessment of Trauma History in Women with Co-occurring Substance Abuse and Mental Disorders and a History of Interpersonal Violence, McHugo GJ, Caspi Y, Kammerer N, Mazelis R, Jackson EW, Russell L, Clark C, Liebschutz J, Kimerling R, 32(2): 113–127
Physical Health Burdens of Women With Trauma Histories and Co-occurring Substance Abuse and Mental Disorders, Larson MJ, Miller L, Becker M, Richardson E, Kammerer N, Thom J, Gampel J, Savage A, 32(2): 128–140
Building Resilience in Children of Mothers Who Have Co-occurring Disorders and Histories of Violence: Intervention Model and Implementation Issues, Finkelstein N, Rechberger E, Russell LA, VanDeMark NR, Noether CD, O'Keefe M, Gould K, Mockus S, Rael M, 32(2): 141–145
The Role of Coercion in the Treatment of Women With Co-occurring Disorders and Histories of Abuse, Clark C, Becker M, Giard J, Mazelis R, Savage A, Vogel W, 32(2): 167–181
Tangled in a Web of Affiliation: Social Support Networks of Dually Diagnosed Women Who Are Trauma Survivors, Savage A, Russell LA, 32(2): 199–214
Religious/Spiritual Coping Among Women Trauma Survivors With Mental Health and Substance Use Disorders, Fallot RD, Heckman JP, 32(2): 215–226
Relational System Change: Implementing a Model of Change in Integrating Services for Women With Substance Abuse and Mental Health Disorders and Histories of Trauma, Markoff LS, Finkelstein N, Kammerer N, Kreiner P, Prost CA, 32(2): 227–240

E

Emergency services
Alcohol Consumption, Risk of Injury, and High-Cost Medical Care, Salomé HJ, French MT, Matzger H, Weisner C, 32(4): 368–380
Employment and workplace issues
Workplace Health Promotion and Utilization of Health Services: Follow-up Data Findings, Deitz D, Cook R, Hersch R, 32(3): 306–319

F

Franklin County Women and Violence Project (FCWVP)
Social Roles in Women's Lives: Changing Conceptions of Self, Stenius VMK, Veysey BM, Hamilton Z, Anderson R, 32(2): 182–198

G

Gender differences
Alcohol Consumption, Risk of Injury, and High-Cost Medical Care, Salomé HJ, French MT, Matzger H, Weisner C, 32(4): 368–380

H

Health promotion
Workplace Health Promotion and Utilization of Health Services: Follow-up Data Findings, Deitz D, Cook R, Hersch R, 32(3): 306–319

I

Injury risk
Alcohol Consumption, Risk of Injury, and High-Cost Medical Care, Salomé HJ, French MT, Matzger H, Weisner C, 32(4): 368–380
Intervention programs
Building Resilience in Children of Mothers Who Have Co-occurring Disorders and Histories of Violence: Intervention Model and Implementation Issues, Finkelstein N, Rechberger E, Russell LA, VanDeMark NR, Noether CD, O'Keefe M, Gould K, Mockus S, Rael M, 32(2): 141–145
Youths Living Away From Families in the US Mental Health System: Opportunities for Targeted Intervention, Pottick KJ, Warner LA, Yoder KA, 32(3): 264–281
Cost-Effectiveness of Bupropion, Nortryptyline, and Psychological Intervention in Smoking Cessation, Hall SM, Lightwood JM, Humfleet GL, Bostrom A, Reus VI, Muñoz R, 32(4): 381–392
The Invisible Children's Project: Key Ingredients of an Intervention for Parents With Mental Illness, Hinden BR, Biebel K, Nicholson J, Mehnert E, 32(4): 393–408
The Invisible Children's Project
The Invisible Children's Project: Key Ingredients of an Intervention for Parents With Mental

Illness, Hinden BR, Biebel K, Nicholson J, Mehnert E, 32(4): 393–408

M

Managed care
Retention in Publicly Funded Methadone Maintenance Treatment in Two Western States, Deck D, Carlson MJ, 32(1): 43–60
Outcomes for Medicaid Clients With Substance Abuse Problems Before and After Managed Care, McFarland BH, Deck DD, McCamant LE, Gabriel RM, Bigelow DA, 32(4): 351–367
Cost-effectiveness of Public Sector Substance Abuse Treatment: Comparison of a Managed Care Approach to a Traditional Public Sector System, Beattie MC, Hu T-W, Li R, Bond JC, 32(4): 409–429
Medicaid
Retention in Publicly Funded Methadone Maintenance Treatment in Two Western States, Deck D, Carlson MJ, 32(1): 43–60
Medicaid Chemical Dependency Patients in a Commercial Health Plan: Do High Medical Costs Come Down Over Time?, Walter LJ, Ackerson L, Allen S, 32(3): 253–263
Outcomes for Medicaid Clients With Substance Abuse Problems Before and After Managed Care, McFarland BH, Deck DD, McCamant LE, Gabriel RM, Bigelow DA, 32(4): 351–367
Mental health care professionals
Development and Testing of a Scale Measuring Parent Satisfaction With Staff Interactions, Gerkensmeyer JE, Austin JK, 32(1): 61–73
A Comparison of Client and Mental Health Worker Assessment of Needs and Unmet Needs, Gibbons C, Bédard M, Mack G, 32(1): 95–104
A Feasibility Study to Assess Service Providers' Perspectives Regarding the Use of the Child and Adolescent Functional Assessment Scale in Ontario, Boydell KM, Barwick M, Ferguson HB, Haines R, 32(1): 105–109
Mental health care providers
State Child Mental Health Efforts to Support Youth in Transition to Adulthood, Davis M, Sondheimer DL, 32(1): 27–42
Youths Living Away From Families in the US Mental Health System: Opportunities for Targeted Intervention, Pottick KJ, Warner LA, Yoder KA, 32(3): 264–281
Denial and Its Association With Mental Health Care Use: A Study of Island Puerto Ricans, Ortega AN, Alegría M, 32(3): 320–331
Methadone maintenance therapy
Retention in Publicly Funded Methadone Maintenance Treatment in Two Western States, Deck D, Carlson MJ, 32(1): 43–60
Minority populations
Mental Health Problems of Adolescents as Reported by Their Caregivers: A Comparison of European, African, and Latino Americans, Roberts RE, Alegría M, Roberts CR, Chen IG, 32(1): 1–13
Mood stabilizers
Rehospitalization Rates of Patients With Bipolar Disorder Discharged on a Mood Stabilizer Versus a Mood Stabilizer Plus an Atypical or Typical Antipsychotic, Patel NC, Crismon ML, Pondrom M, 32(4): 438–445

N

Nortryptyline
Cost-Effectiveness of Bupropion, Nortryptyline, and Psychological Intervention in Smoking Cessation, Hall SM, Lightwood JM, Humfleet GL, Bostrom A, Reus VI, Muñoz R, 32(4): 381–392

O

Older adults
Outpatient Mental Health Service Use by Older Adults After Acute Psychiatric Hospitalization, Li H, Proctor E, Morrow-Howell N, 32(1): 74–84
Organizational attributes
Does Service Diversification Enhance Organizational Survival?: Evidence From the Private Substance Abuse Treatment System, Knudsen HK, Roman PM, Ducharme LJ, 32(3): 241–252
Outcome assessment
Measuring Preferences for Schizophrenia Outcomes With the Time Tradeoff Method, Shumway M, Chouljian TJ, Battle CL, 32(1): 14–26
The Use of Propensity Scores to Evaluate Outcomes for Community Clinics: Identification of an Exceptional Home-based Program, Hodges K, Grunwald H, 32(3): 294–305
Behavior and Symptom Identification Scale 32: Sensitivity to Change Over Time, Jerrell JM, 32(3): 341–346
Outcomes for Medicaid Clients With Substance Abuse Problems Before and After Managed Care, McFarland BH, Deck DD,

McCamant LE, Gabriel RM, Bigelow DA, 32(4): 351–367
Outpatient services
Outpatient Mental Health Service Use by Older Adults After Acute Psychiatric Hospitalization, Li H, Proctor E, Morrow-Howell N, 32(1): 74–84
Behavior and Symptom Identification Scale 32: Sensitivity to Change Over Time, Jerrell JM, 32(3): 341–346

P

Parent Satisfaction Scale (PSS)
Development and Testing of a Scale Measuring Parent Satisfaction With Staff Interactions, Gerkensmeyer JE, Austin JK, 32(1): 61–73
Parenting
Mental Health Problems of Adolescents as Reported by Their Caregivers: A Comparison of European, African, and Latino Americans, Roberts RE, Alegría M, Roberts CR, Chen IG, 32(1): 1–13
Development and Testing of a Scale Measuring Parent Satisfaction With Staff Interactions, Gerkensmeyer JE, Austin JK, 32(1): 61–73
The Invisible Children's Project: Key Ingredients of an Intervention for Parents With Mental Illness, Hinden BR, Biebel K, Nicholson J, Mehnert E, 32(4): 393–408
Physical illness
Physical Health Burdens of Women With Trauma Histories and Co-occurring Substance Abuse and Mental Disorders, Larson MJ, Miller L, Becker M, Richardson E, Kammerer N, Thom J, Gampel J, Savage A, 32(2): 128–140
Physical/sexual abuse
Introduction to the Impact of Co-occurring Disorders and Violence on Women: Findings From the SAMHSA Women, Co-occurring Disorders and Violence Study, Becker MA, Gatz M, 32(2): 111–112
Physical Health Burdens of Women With Trauma Histories and Co-occurring Substance Abuse and Mental Disorders, Larson MJ, Miller L, Becker M, Richardson E, Kammerer N, Thom J, Gampel J, Savage A, 32(2): 128–140
Building Resilience in Children of Mothers Who Have Co-occurring Disorders and Histories of Violence: Intervention Model and Implementation Issues, Finkelstein N, Rechberger E, Russell LA, VanDeMark NR, Noether CD, O'Keefe M, Gould K, Mockus S, Rael M, 32(2): 141–145
The Relationship Between Mothers' Child Abuse Potential and Current Mental Health Symptoms: Implications for Screening and Referral, Rinehart DJ, Becker MA, Buckley PR, Dailey K, Reichardt CS, Graeber C, VanDeMark NR, Brown E, 32(2): 155–166
The Role of Coercion in the Treatment of Women With Co-occurring Disorders and Histories of Abuse, Clark C, Becker M, Giard J, Mazelis R, Savage A, Vogel W, 32(2): 167–181
Tangled in a Web of Affiliation: Social Support Networks of Dually Diagnosed Women Who Are Trauma Survivors, Savage A, Russell LA, 32(2): 199–214
Religious/Spiritual Coping Among Women Trauma Survivors With Mental Health and Substance Use Disorders, Fallot RD, Heckman JP, 32(2): 215–226
Relational System Change: Implementing a Model of Change in Integrating Services for Women With Substance Abuse and Mental Health Disorders and Histories of Trauma, Markoff LS, Finkelstein N, Kammerer N, Kreiner P, Prost CA, 32(2): 227–240
Prevention services
Factors That Impact Adolescents' Intentions to Utilize Alcohol-related Prevention Services, D'Amico EJ, 32(3): 332–340
Propensity scores
The Use of Propensity Scores to Evaluate Outcomes for Community Clinics: Identification of an Exceptional Home-based Program, Hodges K, Grunwald H, 32(3): 294–305
PSS (Parent Satisfaction Scale)
Development and Testing of a Scale Measuring Parent Satisfaction With Staff Interactions, Gerkensmeyer JE, Austin JK, 32(1): 61–73
Psychiatric hospitalization
Outpatient Mental Health Service Use by Older Adults After Acute Psychiatric Hospitalization, Li H, Proctor E, Morrow-Howell N, 32(1): 74–84
Rehospitalization Rates of Patients With Bipolar Disorder Discharged on a Mood Stabilizer Versus a Mood Stabilizer Plus an Atypical or Typical Antipsychotic, Patel NC, Crismon ML, Pondrom M, 32(4): 438–445
Psychiatric rehabilitation
Outpatient Mental Health Service Use by Older Adults After Acute Psychiatric Hospitalization, Li H, Proctor E, Morrow-Howell N, 32(1): 74–84

Public mental health care
State Child Mental Health Efforts to Support Youth in Transition to Adulthood, Davis M, Sondheimer DL, 32(1): 27–42
Retention in Publicly Funded Methadone Maintenance Treatment in Two Western States, Deck D, Carlson MJ, 32(1): 43–60
Outpatient Mental Health Service Use by Older Adults After Acute Psychiatric Hospitalization, Li H, Proctor E, Morrow-Howell N, 32(1): 74–84
Mental Health and Substance Abuse Treatment Utilization Among Individuals Served by Multiple Public Agencies in 3 States, Bray JW, Davis KL, Graver L, Schroeder D, Buck JA, Dilonardo J, Vandivort R, 32(3): 282–293
Cost-effectiveness of Public Sector Substance Abuse Treatment: Comparison of a Managed Care Approach to a Traditional Public Sector System, Beattie MC, Hu T-W, Li R, Bond JC, 32(4): 409–429
Puerto Rico
Denial and Its Association With Mental Health Care Use: A Study of Island Puerto Ricans, Ortega AN, Alegría M, 32(3): 320–331

R

Referral
The Relationship Between Mothers' Child Abuse Potential and Current Mental Health Symptoms: Implications for Screening and Referral, Rinehart DJ, Becker MA, Buckley PR, Dailey K, Reichardt CS, Graeber C, VanDeMark NR, Brown E, 32(2): 155–166
Relational systems change model
Relational System Change: Implementing a Model of Change in Integrating Services for Women With Substance Abuse and Mental Health Disorders and Histories of Trauma, Markoff LS, Finkelstein N, Kammerer N, Kreiner P, Prost CA, 32(2): 227–240
Religion
Religious/Spiritual Coping Among Women Trauma Survivors With Mental Health and Substance Use Disorders, Fallot RD, Heckman JP, 32(2): 215–226
Research
Mental Health Problems of Adolescents as Reported by Their Caregivers: A Comparison of European, African, and Latino Americans, Roberts RE, Alegría M, Roberts CR, Chen IG, 32(1): 1–13
Development and Testing of a Scale Measuring Parent Satisfaction With Staff Interactions, Gerkensmeyer JE, Austin JK, 32(1): 61–73
Outpatient Mental Health Service Use by Older Adults After Acute Psychiatric Hospitalization, Li H, Proctor E, Morrow-Howell N, 32(1): 74–84
Predictors of Antipsychotic Medication Change, Sernyak MJ, Leslie D, Rosenheck R, 32(1): 85–94
A Comparison of Client and Mental Health Worker Assessment of Needs and Unmet Needs, Gibbons C, Bédard M, Mack G, 32(1): 95–104
A Feasibility Study to Assess Service Providers' Perspectives Regarding the Use of the Child and Adolescent Functional Assessment Scale in Ontario, Boydell KM, Barwick M, Ferguson HB, Haines R, 32(1): 105–109
The Assessment of Trauma History in Women with Co-occurring Substance Abuse and Mental Disorders and a History of Interpersonal Violence, McHugo GJ, Caspi Y, Kammerer N, Mazelis R, Jackson EW, Russell L, Clark C, Liebschutz J, Kimerling R, 32(2): 113–127
Physical Health Burdens of Women With Trauma Histories and Co-occurring Substance Abuse and Mental Disorders, Larson MJ, Miller L, Becker M, Richardson E, Kammerer N, Thom J, Gampel J, Savage A, 32(2): 128–140
The Role of Coercion in the Treatment of Women With Co-occurring Disorders and Histories of Abuse, Clark C, Becker M, Giard J, Mazelis R, Savage A, Vogel W, 32(2): 167–181
Tangled in a Web of Affiliation: Social Support Networks of Dually Diagnosed Women Who Are Trauma Survivors, Savage A, Russell LA, 32(2): 199–214
Religious/Spiritual Coping Among Women Trauma Survivors With Mental Health and Substance Use Disorders, Fallot RD, Heckman JP, 32(2): 215–226
Does Service Diversification Enhance Organizational Survival?: Evidence From the Private Substance Abuse Treatment System, Knudsen HK, Roman PM, Ducharme LJ, 32(3): 241–252
Medicaid Chemical Dependency Patients in a Commercial Health Plan: Do High Medical Costs Come Down Over Time?, Walter LJ, Ackerson L, Allen S, 32(3): 253–263
Mental Health and Substance Abuse Treatment Utilization Among Individuals Served by Multiple Public Agencies in 3 States, Bray JW,

Davis KL, Graver L, Schroeder D, Buck JA, Dilonardo J, Vandivort R, 32(3): 282–293
Denial and Its Association With Mental Health Care Use: A Study of Island Puerto Ricans, Ortega AN, Alegría M, 32(3): 320–331
Factors That Impact Adolescents' Intentions to Utilize Alcohol-related Prevention Services, D'Amico EJ, 32(3): 332–340
Sociodemographic and Economic Comparisons of Children Prescribed Longer-acting Versus Short-acting Stimulant Medications for Attention Deficit Hyperactivity Disorder, Stevens J, Harman JS, Kelleher KJ, 32(4): 430–437

S

Schizophrenia
Measuring Preferences for Schizophrenia Outcomes With the Time Tradeoff Method, Shumway M, Chouljian TJ, Battle CL, 32(1): 14–26
Predictors of Antipsychotic Medication Change, Sernyak MJ, Leslie D, Rosenheck R, 32(1): 85–94
Screening
The Relationship Between Mothers' Child Abuse Potential and Current Mental Health Symptoms: Implications for Screening and Referral, Rinehart DJ, Becker MA, Buckley PR, Dailey K, Reichardt CS, Graeber C, VanDeMark NR, Brown E, 32(2): 155–166
Service provision/delivery
Outpatient Mental Health Service Use by Older Adults After Acute Psychiatric Hospitalization, Li H, Proctor E, Morrow-Howell N, 32(1): 74–84
The Assessment of Trauma History in Women with Co-occurring Substance Abuse and Mental Disorders and a History of Interpersonal Violence, McHugo GJ, Caspi Y, Kammerer N, Mazelis R, Jackson EW, Russell L, Clark C, Liebschutz J, Kimerling R, 32(2): 113–127
Does Service Diversification Enhance Organizational Survival?: Evidence From the Private Substance Abuse Treatment System, Knudsen HK, Roman PM, Ducharme LJ, 32(3): 241–252
Mental Health and Substance Abuse Treatment Utilization Among Individuals Served by Multiple Public Agencies in 3 States, Bray JW, Davis KL, Graver L, Schroeder D, Buck JA, Dilonardo J, Vandivort R, 32(3): 282–293
The Use of Propensity Scores to Evaluate Outcomes for Community Clinics: Identification of an Exceptional Home-based Program, Hodges K, Grunwald H, 32(3): 294–305
Smoking cessation
Cost-Effectiveness of Bupropion, Nortryptyline, and Psychological Intervention in Smoking Cessation, Hall SM, Lightwood JM, Humfleet GL, Bostrom A, Reus VI, Muñoz R, 32(4): 381–392
Social roles
Social Roles in Women's Lives: Changing Conceptions of Self, Stenius VMK, Veysey BM, Hamilton Z, Anderson R, 32(2): 182–198
Social support
State Child Mental Health Efforts to Support Youth in Transition to Adulthood, Davis M, Sondheimer DL, 32(1): 27–42
Tangled in a Web of Affiliation: Social Support Networks of Dually Diagnosed Women Who Are Trauma Survivors, Savage A, Russell LA, 32(2): 199–214
Socioeconomic status
Sociodemographic and Economic Comparisons of Children Prescribed Longer-acting Versus Short-acting Stimulant Medications for Attention Deficit Hyperactivity Disorder, Stevens J, Harman JS, Kelleher KJ, 32(4): 430–437
Stimulant medications
Sociodemographic and Economic Comparisons of Children Prescribed Longer-acting Versus Short-acting Stimulant Medications for Attention Deficit Hyperactivity Disorder, Stevens J, Harman JS, Kelleher KJ, 32(4): 430–437

T

Teen Health 2000
Mental Health Problems of Adolescents as Reported by Their Caregivers: A Comparison of European, African, and Latino Americans, Roberts RE, Alegría M, Roberts CR, Chen IG, 32(1): 1–13
Time Tradeoff (TTO) technique
Measuring Preferences for Schizophrenia Outcomes With the Time Tradeoff Method, Shumway M, Chouljian TJ, Battle CL, 32(1): 14–26
Tobacco use
Cost-Effectiveness of Bupropion, Nortryptyline, and Psychological Intervention in Smoking Cessation, Hall SM, Lightwood JM, Humfleet

GL, Bostrom A, Reus VI, Muñoz R, 32(4): 381–392
Treatment motivation and retention
Measuring Preferences for Schizophrenia Outcomes With the Time Tradeoff Method, Shumway M, Chouljian TJ, Battle CL, 32(1): 14–26
Retention in Publicly Funded Methadone Maintenance Treatment in Two Western States, Deck D, Carlson MJ, 32(1): 43–60
Outpatient Mental Health Service Use by Older Adults After Acute Psychiatric Hospitalization, Li H, Proctor E, Morrow-Howell N, 32(1): 74–84
Predictors of Antipsychotic Medication Change, Sernyak MJ, Leslie D, Rosenheck R, 32(1): 85–94
The Role of Coercion in the Treatment of Women With Co-occurring Disorders and Histories of Abuse, Clark C, Becker M, Giard J, Mazelis R, Savage A, Vogel W, 32(2): 167–181
Workplace Health Promotion and Utilization of Health Services: Follow-up Data Findings, Deitz D, Cook R, Hersch R, 32(3): 306–319
Denial and Its Association With Mental Health Care Use: A Study of Island Puerto Ricans, Ortega AN, Alegría M, 32(3): 320–331
Cost-effectiveness of Public Sector Substance Abuse Treatment: Comparison of a Managed Care Approach to a Traditional Public Sector System, Beattie MC, Hu T-W, Li R, Bond JC, 32(4): 409–429
Sociodemographic and Economic Comparisons of Children Prescribed Longer-acting Versus Short-acting Stimulant Medications for Attention Deficit Hyperactivity Disorder, Stevens J, Harman JS, Kelleher KJ, 32(4): 430–437
Rehospitalization Rates of Patients With Bipolar Disorder Discharged on a Mood Stabilizer Versus a Mood Stabilizer Plus an Atypical or Typical Antipsychotic, Patel NC, Crismon ML, Pondrom M, 32(4): 438–445
TTO (Time Tradeoff) technique
Measuring Preferences for Schizophrenia Outcomes With the Time Tradeoff Method, Shumway M, Chouljian TJ, Battle CL, 32(1): 14–26

U

Utilization of services
Outpatient Mental Health Service Use by Older Adults After Acute Psychiatric Hospitalization, Li H, Proctor E, Morrow-Howell N, 32(1): 74–84
Mental Health and Substance Abuse Treatment Utilization Among Individuals Served by Multiple Public Agencies in 3 States, Bray JW, Davis KL, Graver L, Schroeder D, Buck JA, Dilonardo J, Vandivort R, 32(3): 282–293
The Use of Propensity Scores to Evaluate Outcomes for Community Clinics: Identification of an Exceptional Home-based Program, Hodges K, Grunwald H, 32(3): 294–305
Workplace Health Promotion and Utilization of Health Services: Follow-up Data Findings, Deitz D, Cook R, Hersch R, 32(3): 306–319
Factors That Impact Adolescents' Intentions to Utilize Alcohol-related Prevention Services, D'Amico EJ, 32(3): 332–340

W

WCDVS. See Women, Co-occurring Disorders and Violence Study (WCDVS)
WELL (Women Embracing Life and Living) Project
Relational System Change: Implementing a Model of Change in Integrating Services for Women With Substance Abuse and Mental Health Disorders and Histories of Trauma, Markoff LS, Finkelstein N, Kammerer N, Kreiner P, Prost CA, 32(2): 227–240
Women
Introduction to the Impact of Co-occurring Disorders and Violence on Women: Findings From the SAMHSA Women, Co-occurring Disorders and Violence Study, Becker MA, Gatz M, 32(2): 111–112
The Assessment of Trauma History in Women with Co-occurring Substance Abuse and Mental Disorders and a History of Interpersonal Violence, McHugo GJ, Caspi Y, Kammerer N, Mazelis R, Jackson EW, Russell L, Clark C, Liebschutz J, Kimerling R, 32(2): 113–127
Physical Health Burdens of Women With Trauma Histories and Co-occurring Substance Abuse and Mental Disorders, Larson MJ, Miller L, Becker M, Richardson E, Kammerer N, Thom J, Gampel J, Savage A, 32(2): 128–140
Building Resilience in Children of Mothers Who Have Co-occurring Disorders and Histories of Violence: Intervention Model and Implementation Issues, Finkelstein N, Rechberger E, Russell LA, VanDeMark NR, Noether CD, O'Keefe M, Gould K, Mockus S, Rael M, 32(2): 141–145

The Relationship Between Mothers' Child Abuse Potential and Current Mental Health Symptoms: Implications for Screening and Referral, Rinehart DJ, Becker MA, Buckley PR, Dailey K, Reichardt CS, Graeber C, VanDeMark NR, Brown E, 32(2): 155–166
The Role of Coercion in the Treatment of Women With Co-occurring Disorders and Histories of Abuse, Clark C, Becker M, Giard J, Mazelis R, Savage A, Vogel W, 32(2): 167–181
Social Roles in Women's Lives: Changing Conceptions of Self, Stenius VMK, Veysey BM, Hamilton Z, Anderson R, 32(2): 182–198
Tangled in a Web of Affiliation: Social Support Networks of Dually Diagnosed Women Who Are Trauma Survivors, Savage A, Russell LA, 32(2): 199–214
Religious/Spiritual Coping Among Women Trauma Survivors With Mental Health and Substance Use Disorders, Fallot RD, Heckman JP, 32(2): 215–226
Relational System Change: Implementing a Model of Change in Integrating Services for Women With Substance Abuse and Mental Health Disorders and Histories of Trauma, Markoff LS, Finkelstein N, Kammerer N, Kreiner P, Prost CA, 32(2): 227–240
Women, Co-occurring Disorders and Violence Study (WCDVS)
Introduction to the Impact of Co-occurring Disorders and Violence on Women: Findings From the SAMHSA Women, Co-occurring Disorders and Violence Study, Becker MA, Gatz M, 32(2): 111–112
The Assessment of Trauma History in Women with Co-occurring Substance Abuse and Mental Disorders and a History of Interpersonal Violence, McHugo GJ, Caspi Y, Kammerer N, Mazelis R, Jackson EW, Russell L, Clark C, Liebschutz J, Kimerling R, 32(2): 113–127
Physical Health Burdens of Women With Trauma Histories and Co-occurring Substance Abuse and Mental Disorders, Larson MJ, Miller L, Becker M, Richardson E, Kammerer N, Thom J, Gampel J, Savage A, 32(2): 128–140
Building Resilience in Children of Mothers Who Have Co-occurring Disorders and Histories of Violence: Intervention Model and Implementation Issues, Finkelstein N, Rechberger E, Russell LA, VanDeMark NR, Noether CD, O'Keefe M, Gould K, Mockus S, Rael M, 32(2): 141–145
The Relationship Between Mothers' Child Abuse Potential and Current Mental Health Symptoms: Implications for Screening and Referral, Rinehart DJ, Becker MA, Buckley PR, Dailey K, Reichardt CS, Graeber C, VanDeMark NR, Brown E, 32(2): 155–166
The Role of Coercion in the Treatment of Women With Co-occurring Disorders and Histories of Abuse, Clark C, Becker M, Giard J, Mazelis R, Savage A, Vogel W, 32(2): 167–181
Social Roles in Women's Lives: Changing Conceptions of Self, Stenius VMK, Veysey BM, Hamilton Z, Anderson R, 32(2): 182–198
Tangled in a Web of Affiliation: Social Support Networks of Dually Diagnosed Women Who Are Trauma Survivors, Savage A, Russell LA, 32(2): 199–214
Religious/Spiritual Coping Among Women Trauma Survivors With Mental Health and Substance Use Disorders, Fallot RD, Heckman JP, 32(2): 215–226
Relational System Change: Implementing a Model of Change in Integrating Services for Women With Substance Abuse and Mental Health Disorders and Histories of Trauma, Markoff LS, Finkelstein N, Kammerer N, Kreiner P, Prost CA, 32(2): 227–240
Women Embracing Life and Living (WELL) Project
Relational System Change: Implementing a Model of Change in Integrating Services for Women With Substance Abuse and Mental Health Disorders and Histories of Trauma, Markoff LS, Finkelstein N, Kammerer N, Kreiner P, Prost CA, 32(2): 227–240